

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

PRODUCED: OCT 08, 2021

SAMPLE: WEDDING PIE (CONCENTRATE) // CLIENT: CHRIS PUSH // BATCH: PASS



MATRIX: CONCENTRATE
 CATEGORY: INHALABLE
 SAMPLE ID: BCL-211006-024
 COLLECTED ON: OCT 06, 2021
 RECEIVED ON: OCT 06, 2021
 BATCH/SAMPLE SIZE: 4 UNITS / 4 UNITS

CANNABINOID OVERVIEW

| | |
|---------------------|------------|
| TOTAL THC: | 88.7001 % |
| TOTAL CBD: | 0.47395 % |
| TOTAL CANNABINOIDS: | 96.20664 % |



BCL-03: CANNABINOID POTENCY BY HPLC-UV // OCT 08, 2021

| ANALYTE | AMT | AMT | LOD/LOQ (mg/g) | PASS/FAIL |
|---------------------|------------|---------------|-----------------|-----------|
| CBC | 0.29832 % | 2.9832 mg/g | 0.0218/0.49554 | N/A |
| CBCA | ND | ND | 0.06244/0.49554 | N/A |
| CBD | 0.33697 % | 3.3697 mg/g | 0.03072/0.49554 | N/A |
| CBDA | 0.15619 % | 1.5619 mg/g | 0.01586/0.49554 | N/A |
| CBDV | 0.09643 % | 0.9643 mg/g | 0.02379/0.49554 | N/A |
| CBDVA | ND | ND | 0.01586/0.49554 | N/A |
| CBG | 4.62616 % | 46.2616 mg/g | 0.02874/0.49554 | N/A |
| CBGA | ND | ND | 0.01982/0.49554 | N/A |
| CBN | 0.99177 % | 9.9177 mg/g | 0.01586/0.49554 | N/A |
| Δ ⁸ -THC | ND | ND | 0.05748/0.49554 | N/A |
| Δ ⁹ -THC | 88.70010 % | 887.0010 mg/g | 0.04163/0.49554 | N/A |
| THCA | ND | ND | 0.02973/0.49554 | N/A |
| THCV | 0.88355 % | 8.8355 mg/g | 0.03271/0.49554 | N/A |
| THCVA | 0.11715 % | 1.1715 mg/g | 0.02279/0.49554 | N/A |
| TOT THC ** | 88.70010 % | 887.0010 mg/g | N/A | N/A |
| TOT CBD ** | 0.47395 % | 4.7395 mg/g | N/A | N/A |

** TOTAL THC = (THCA X 0.877) + THC
 ** TOTAL CBD = (CBDA X 0.877) + CBD

TERPENOID TESTING BY HS-GC/FID

| ANALYTE | AMT | AMT | LOD/LOQ () | PASS/FAIL |
|------------------------|-----|-----|-------------|-----------|
| TOTAL TERPENES | ND | ND | | N/A |
| α-PINENE | NT | NT | | N/A |
| CAMPHERE | NT | NT | | N/A |
| β-PINENE | NT | NT | | N/A |
| β-MYRCENE | NT | NT | | N/A |
| Δ ³ -CARENE | NT | NT | | N/A |
| α-TERPINENE | NT | NT | | N/A |
| D-LIMONENE | NT | NT | | N/A |
| P-CYMENE | NT | NT | | N/A |
| α-OCIMENE | NT | NT | | N/A |
| β-OCIMENE | NT | NT | | N/A |
| γ-TERPINENE | NT | NT | | N/A |
| TERPINOLENE | NT | NT | | N/A |
| LINALOOL | NT | NT | | N/A |
| ISOPULEGOL | NT | NT | | N/A |
| GERANIOL | NT | NT | | N/A |
| β-CARYOPHYLLENE | NT | NT | | N/A |
| α-HUMULENE | NT | NT | | N/A |
| CIS-NEROLIDOL | NT | NT | | N/A |
| TRANS-NEROLIDOL | NT | NT | | N/A |
| GUAIOL | NT | NT | | N/A |
| α-BISABOLOL | NT | NT | | N/A |
| 1,8-CINEOLE * | NT | NT | | N/A |

* BEYOND SCOPE OF ACCREDITATION

RESULTS CERTIFIED BY: CODY SHEPPARD, PH.D.
 LABORATORY DIRECTOR, BELCOSTA LABS
 OCT 08, 2021



BCL-13: PESTICIDE TESTING BY GC/MS // OCT 08, 2021

| ANALYTE | LIMIT | AMT (µg/g) | LOD/LOQ (µg/g) | PASS/FAIL |
|-----------------|----------|------------|----------------|-----------|
| CAPTAN | 0.7 µg/g | ND | 0.01977/0.06 | PASS |
| CHLORDANE | Any amt | ND | | PASS |
| CHLORDANE CIS | | ND | 0.01199/0.03 | N/A |
| CHLORDANE TRANS | | ND | 0.01082/0.03 | N/A |
| CHLORFENAPYR | Any amt | ND | 0.01364/0.06 | PASS |

| ANALYTE | LIMIT | AMT (µg/g) | LOD/LOQ (µg/g) | PASS/FAIL |
|--------------------------|----------|------------|----------------|-----------|
| CHLORPYRIFOS | Any amt | ND | 0.01653/0.06 | PASS |
| DICHLORVOS | Any amt | ND | 0.01165/0.06 | PASS |
| METHYL PARATHION | Any amt | ND | 0.00851/0.06 | PASS |
| PENTACHLORONI-TROBENZENE | 0.1 µg/g | ND | 0.01282/0.06 | PASS |

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // OCT 08, 2021

| ANALYTE | LIMIT | AMT (µg/g) | LOD/LOQ (µg/g) | PASS/FAIL |
|----------------------|----------|------------|----------------|-----------|
| ABAMECTIN | 0.1 µg/g | ND | 0.01153/0.04 | PASS |
| ACEPHATE | 0.1 µg/g | ND | 0.00368/0.02 | PASS |
| ACEQUINOCYL | 0.1 µg/g | ND | 0.00417/0.02 | PASS |
| ACETAMIPRID | 0.1 µg/g | ND | 0.00464/0.02 | PASS |
| ALDICARB | Any amt | ND | 0.01109/0.04 | PASS |
| AZOXYSTROBIN | 0.1 µg/g | ND | 0.00639/0.02 | PASS |
| BIFENAZATE | 0.1 µg/g | ND | 0.00355/0.02 | PASS |
| BIFENTHRIN | 3 µg/g | 0.0449 | 0.00473/0.04 | PASS |
| BOSCALID | 0.1 µg/g | ND | 0.00494/0.02 | PASS |
| CARBARYL | 0.5 µg/g | ND | 0.00295/0.02 | PASS |
| CARBOFURAN | Any amt | ND | 0.00613/0.02 | PASS |
| CHLORANTRANIL-IPROLE | 10 µg/g | ND | 0.00697/0.04 | PASS |
| CLOFENTEZINE | 0.1 µg/g | ND | 0.0054/0.02 | PASS |
| COUMAPHOS | Any amt | ND | 0.00215/0.02 | PASS |
| CYFLUTHRIN | 2 µg/g | ND | 0.05508/0.2 | PASS |
| CYPERMETHRIN | 1 µg/g | ND | 0.00556/0.04 | PASS |
| DAMINOZIDE | Any amt | ND | 0.00227/0.04 | PASS |
| DIAZINON | 0.1 µg/g | ND | 0.00487/0.02 | PASS |
| DIMETHOATE | Any amt | ND | 0.00354/0.02 | PASS |
| DIMETHOMORPH | 2 µg/g | ND | | PASS |
| DIMETHOMORPH I | | ND | 0.00109/0.0078 | N/A |
| DIMETHOMORPH II | | ND | 0.0015/0.0122 | N/A |
| ETHOPROPHOS | Any amt | ND | 0.0041/0.02 | PASS |
| ETOFENPROX | Any amt | ND | 0.00274/0.02 | PASS |
| ETOXAZOLE | 0.1 µg/g | ND | 0.00385/0.02 | PASS |
| FENHEXAMID | 0.1 µg/g | ND | 0.01055/0.02 | PASS |
| FENOXYCARB | Any amt | ND | 0.00175/0.02 | PASS |
| FENPYROXIMATE | 0.1 µg/g | ND | 0.00481/0.02 | PASS |
| FIPRONIL | Any amt | ND | 0.00478/0.02 | PASS |
| FLONICAMID | 0.1 µg/g | ND | 0.00398/0.02 | PASS |
| FLUDIOXONIL | 0.1 µg/g | ND | 0.01369/0.04 | PASS |
| HEXYTHIAZOX | 0.1 µg/g | ND | 0.00297/0.02 | PASS |
| IMAZALIL | Any amt | ND | 0.0056/0.02 | PASS |
| IMIDACLOPRID | 5 µg/g | ND | 0.00645/0.02 | PASS |
| KRESOXIM-METHYL | 0.1 µg/g | ND | 0.00339/0.02 | PASS |

| ANALYTE | LIMIT | AMT (µg/g) | LOD/LOQ (µg/g) | PASS/FAIL |
|--------------------|----------|------------|-----------------|-----------|
| MALATHION | 0.5 µg/g | ND | 0.00472/0.02 | PASS |
| METALAXYL | 2 µg/g | ND | 0.00503/0.02 | PASS |
| METHIOCARB | Any amt | ND | 0.00503/0.02 | PASS |
| METHOMYL | 1 µg/g | ND | 0.00494/0.02 | PASS |
| MEVINPHOS | Any amt | ND | | PASS |
| MEVINPHOS I | | ND | 0.00163/0.0084 | N/A |
| MEVINPHOS II | | ND | 0.00542/0.0316 | N/A |
| MYCLOBUTANIL | 0.1 µg/g | ND | 0.00867/0.04 | PASS |
| NALED | 0.1 µg/g | ND | 0.00328/0.02 | PASS |
| OXAMYL | 0.5 µg/g | ND | 0.00455/0.02 | PASS |
| PACLOBUTRAZOL | Any amt | ND | 0.00714/0.04 | PASS |
| PERMETHRIN | 0.5 µg/g | ND | | PASS |
| PERMETHRIN CIS | | ND | 0.00237/0.0082 | N/A |
| PERMETHRIN TRANS | | ND | 0.00245/0.0118 | N/A |
| PHOSMET | 0.1 µg/g | ND | 0.0043/0.02 | PASS |
| PIPERONYLBUTO-XIDE | 3 µg/g | 0.0932 | 0.00247/0.02 | PASS |
| PRALLETHRIN | 0.1 µg/g | ND | 0.00392/0.02 | PASS |
| PROPICONAZOLE | 0.1 µg/g | 0.0284 | 0.0024/0.02 | PASS |
| PROPOXUR | Any amt | ND | 0.00374/0.02 | PASS |
| PYRETHRINS | 0.5 µg/g | ND | 0.00726/0.04 | PASS |
| PYRIDABEN | 0.1 µg/g | ND | 0.0034/0.02 | PASS |
| SPINETORAM | 0.1 µg/g | ND | | PASS |
| SPINETORAM J | | ND | 0.00329/0.016 | N/A |
| SPINETORAM L | | ND | 0.00157/0.016 | N/A |
| SPINOSAD | 0.1 µg/g | ND | | PASS |
| SPINOSAD A | | ND | 0.00205/0.01438 | N/A |
| SPINOSAD D | | ND | 0.00104/0.00498 | N/A |
| SPIROMESIFEN | 0.1 µg/g | ND | 0.00944/0.04 | PASS |
| SPIROTETRAMAT | 0.1 µg/g | ND | 0.00208/0.02 | PASS |
| SPIROXAMINE | Any amt | ND | 0.00344/0.02 | PASS |
| TEBUCONAZOLE | 0.1 µg/g | ND | 0.00816/0.04 | PASS |
| THIACLOPRID | Any amt | ND | 0.0039/0.02 | PASS |
| THIAMETHOXAM | 5 µg/g | ND | 0.00358/0.02 | PASS |
| TRIFLOXYSTROB-IN | 0.1 µg/g | ND | 0.00421/0.02 | PASS |



BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // OCT 08, 2021

| ANALYTE | LIMIT | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL |
|--------------|----------|-------------|-----------------|-----------|
| AFLATOXIN B1 | | ND | 0.23/4 | N/A |
| AFLATOXIN B2 | | ND | 0.181/4 | N/A |
| AFLATOXIN G1 | | ND | 0.155/4 | N/A |
| AFLATOXIN G2 | | ND | 0.934/4 | N/A |
| AFLATOXINS | 20 µg/kg | ND | | PASS |
| OCHRATOXIN A | 20 µg/kg | ND | 0.385/4 | PASS |

** FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.*

